





MODERN TRADITIONS '14 BLOCK SET



#003

JUST
A BIT
FRAYED



DUTCHMAN'S PUZZLE - 12" FINISHED BLOCK PATTERN

Fabric Requirements:

- 4 - 3.5" x 6.5" rectangles fabric A
- 4 - 3.5" x 6.5" rectangles fabric B
- 16 - 3.5" squares background fabric

1. Cut all fabric pieces using the Fabric Requirements above. All sewing assumes a 1/4" seam allowance.


2. Take a water soluble fabric pen/pencil and draw a diagonal line on the *wrong side* of each 3.5" square "Sky" unit.





3. Place a 3.5" "Sky" unit, with right sides together, matching one side of a randomly chosen 3.5" x 6.5" "Goose" unit as shown. You will want the line you drew to point toward the middle center on the top side of the "Goose" unit. Sew directly on your drawn line

to join the fabrics together.

4. Cut the corner off your sewn pieces as shown, 1/4" away from your drawn line.




5. Press this open to complete half of the sky on your "Goose" unit.




6. Repeat steps 2-4 with the remainder of your squares on the other side of your "Goose" unit.

7. Repeat steps 2-6 for all remaining rectangles you will have 4 Flying Geese in fabric A and 4 in fabric B.

8. Sew one Flying Geese block in fabric A onto one Flying Geese Block in fabric B. Repeat with remaining Flying Geese.



10. Sew your Flying Geese squares into a 4-Patch as shown.




KANSAS STAR - 12" FINISHED BLOCK PATTERN

Fabric Requirements:

- 5 – 4.5" squares of Fabric A
- 4 – 4.5" squares of background fabric
- 16 – 2.5" squares of Fabric B
- 20 – 2.5" squares of background fabric


1. Cut all fabric pieces using the Fabric Requirements above. All sewing assumes a 1/4" seam allowance.

2. Draw a diagonal line on the back of all your 2.5" squares from corner to corner with a fabric pencil or other light marking tool.




3. Align a 2.5" square of background fabric onto one corner of a 4.5" square of Fabric A as shown (with right sides together) and sew directly onto your line.


4. Trim excess fabric 1/4" from the sewn line as shown and press your background fabric open away from the center.



5. Repeat steps 3-4 on all corners of your 4.5" square of Fabric A.




6. Repeat steps 3-5 with all your 4.5" squares of Fabric A. You will have 5 finished Square in a Square blocks.



7. Repeat steps 3-6 using the 4.5" squares of background fabric and the 2.5" squares of Fabric B. You will have 4 finished Square in a Square blocks.

8. Arrange your finished Square in a Square blocks as shown and sew into a 9 patch by rows.



RAIL FENCE - 6" FINISHED BLOCK PATTERN

Fabric Requirements:


1.5" x 14" strip of Fabric A

1.5" x 14" strip of Fabric B


1.5" x 14" strip of Fabric C

1. Cut all fabric pieces using the Fabric Requirements above. All sewing assumes a 1/4" seam allowance.


2. Sew strips of Fabric A and Fabric B together as shown and press seams toward the darker fabric.




3. Sew strip of Fabric C to your sewn strip set and press toward the darker fabric.



4. Sub-cut your sewn strip set into 3.5" squares.



5. Turn your squares as shown below and sew into a 4 patch.





SHOO FLY - 6" FINISHED QUILT BLOCK

Fabric Requirements:

- 2 - 3" squares of Fabric A
- 2 - 3" squares of background fabric
- 4 - 2.5" squares of background fabric
- 1 - 2.5" square of Fabric A


1. Cut all fabric pieces using the Fabric Requirements above. All sewing assumes a 1/4" seam allowance.

2. Draw a diagonal line on the back of your 3" squares of Fabric A from corner to corner with a fabric pencil or other light marking tool.



3. Put a 3" square of background fabric and a 3" square of Fabric A right sides together. Sew 1/4" on either side of the drawn line as shown below.

4. Cut directly on the drawn line and press your half square triangles open toward the darker fabric.



5. Repeat step 3 & 4 with the remaining 3” squares. Trim all half square triangles to 2.5”.

6. Arrange your half square triangles and remaining squares into a 9-patch as shown below and sew together in rows.

